Contents

PART 1 (FEBRUARY 1987)

PAGE

FREUDENBERGER, D. O., FAMILTON, A. S. and SYKES, A. R. Comparative aspects of copper metabolism in silage-fed sheep and deer (*Cervus elaphus*) 1

GILL, MARGARET, BEEVER, D. E., BUTTERY, P. J., ENGLAND, P., GIBB, M. J. and BAKER, R. D. The effect of oestradiol-17β implantation on the response in voluntary intake, live-weight gain and body composition, to fishmeal supplementation of silage offered to growing calves 9

CASTLE, M. E. and REID, D. A. A comparison of the effects of liquid manure (urine and water) and nitrogen fertilizers applied to a grass–clover sward on soils of different pH value. 17

RAI, R. Chemotaxis of salt-tolerant and sensitive *Rhizobium* strains to root exudates of lentil (*Lens culinaris* L.) genotypes and symbiotic N-fixation, proline content and grain yield in saline calcareous soil. 25

FORTIN, A., WOOD, J. D. and WHELEHAN, O. P. Breed and sex effects on the development and proportions of muscle, fat and bone of pigs 39

HOMEWOOD, KATHERINE, RODGERS, W. A. and ARHEM, K. Ecology of pastoralism in Ngorongoro Conservation Area, Tanzania 47

WIDDOWSON, F. V., PENNY, A., DARBY, R. J., BIRD, E. and HEWITT, M. V. Amounts of NO_3-N and NH_4-N in soil, from autumn to spring, under winter wheat and their relationship to soil type, sowing date, previous crop and N uptake at Rothamsted, Woburn and Saxmundham, 1979–85 73

POPE, W. F., LAWYER, MICHELLE S. and FIRST, N. L. Interaction of blood supply to the porcine ovary and corpora lutea function 97

BOND, D. A. and POPE, M. Proportion of cross-bred and selfed seed obtained from successive generations of winter bean (*Vicia faba* L.) crops 103

RODGERS, G. A., PENNY, A., WIDDOWSON, F. V. and HEWITT, M. V. Tests of nitrification and of urease inhibitors, when applied with either solid or aqueous urea, on grass grown on a light sandy soil 109

NICHOLSON, M. J. The effect of drinking frequency on some aspects of the productivity of zebu cattle 119

FORD, C. W., ELLIOTT, R. and MAYNARD, P. J. The effect of chlorite delignification on digestibility of some grass forages and on intake and rumen microbial activity in sheep fed barley straw 129

OFUYA, T. I. Susceptibility of some cow peas to infestation and damage by the storage beetle, *Callosobruchus maculatus* (Fabricius) (Coleoptera: Bruchidae) 137

FORTIN, A., WOOD, J. D. and WHELEHAN, O. P. Breed and sex effects on the development, distribution of muscle, fat and bone, and the partition of fat in pigs 141

CROSBIE, S. F., SMALLFIELD, B. M., HAWKER, H., FLOATE, M. J. S., KEOGHAN, J. M., ENRIGHT, P. D. and ABERNETHY, R. J. Exploiting the pasture capacitance probe in agricultural research: a comparison with other methods of measuring herbage mass . 155

ALLEN, E. J. and O'BRIEN, SUSAN A. An analysis of the effects of seed weight, seed rate and date of harvest on the yield and economic value of seed-potato crops 165

MUKHTAR, N. O. and ABU NAIB, SAYDA A. Inoculation of irrigated soya bean in the Sudan Gezira 183

RIDGMAN, W. J. and WEDGWOOD, R. B. Some residual effects of crop rotation on light land 189

LUTMAN, P. J. W. and DIXON, FIONA L. The effect of drilling date on the growth and yield ofoil-seed rape (*Brassica napus* L.) 195

FORD, C. W. and ELLIOTT, R. Biodegradability of grass cell walls in relation to chemical composition and rumen microbial activity 201
AMANING-KWARTENG, K. and KELLAWAY, R. C. Influence of cotton-seed meal and barley grain supplements on intake, digestion, live-weight gain and wool growth in sheep fed NaOH-treated oat and wheat straw diets 211
BENJAMIN, L. R. The relative importance of cluster size, sowing depth, time of seedling emergence and between-plant spacing on variation in plant size in red beet (*Beta vulgaris* L.) crops 221
LITTLE, D. A. The influence of sodium supplementation on the voluntary intake and digestibility of low-sodium *Setaria sphacelata* cv. Nandi by cattle 231
MARTENS, H., KUBEL, O. W., GÄBEL, G. and HONIG, H. Effects of low sodium intake on magnesium metabolism of sheep 237

SHORT NOTES

SINGH, S. and GURURAJA RAO, P. N. Varietal differences in growth characteristics in sugar cane 245
JEFFERIES, R. A. and MACKERRON, D. K. L. Thermal time as a non-destructive method of estimating tuber initiation in potatoes 249
ALAM, M. R., POPPI, D. P. and SYKES, A. R. Comparative aspects of water intake and its flow through the gastro-intestinal tract of kids and lambs 253

PART 2 (APRIL 1987)

PAGE

KHALIFA, F. M. Effect of nitrogen on nodulation and yield of soya beans under two systems of production in Sudan 259
WESTCOTT, B. A method of assessing the yield stability of crop genotypes 267
SINGH, M. V., CHHABRA, R. and ABROL, I. P. Interactions between applications of gypsum and zinc sulphate on the yield and chemical composition of rice grown on an alkali soil 275
KROLL, O., OWEN, J. B. and WHITAKER, C. J. Grouping and complete diet composition in relation to parity and potential yield in dairy cows 281
WHITE, ETHEL M. Straw and grain production in spring barley cultivars 293
SHARMA, B. R. Effect of time and amount of first irrigation on the root distribution and fodder yield of oats 299
VERMA, V. D. and RAM, H. H. Genetics of seed impermeability in soya bean 305
DINGWALL, W. S., ROBINSON, J. J., AITKEN, R. P. and FRASER, C. Studies on reproduction in prolific ewes. 9. Embryo survival, early foetal growth and within-litter variation in foetal size 311
SHARMA, U. C. and ARORA, B. R. Effect of nitrogen, phosphorus and potassium application on yield of potato tubers (*Solanum tuberosum* L.). 321
JINDAL, S. K. Studies on the gonadal and epididymal sperm reserves of Mujjafaranagri rams 331
AYLING, SARAH M., BACON, E., CHRISTIAN, D. G. and GOSS, M. J. The growth and yield of winter wheat following 10 years of continuous ploughing, shallow-tine cultivation or direct drilling on a non-calcareous clay soil 335
AP DEWI, I., KELSO, W. I. and JOHNSON, D. B. A study of field drain ochre deposits. 1. Abiotic chemical precipitation 341
AP DEWI, I., JOHNSON, D. B. and KELSO, W. I. A study of field drain ochre deposits. 2. The distribution of micro-organisms 347

Díaz-Fierros, F., Villar, M. Carmen, Gil, F., Leirós, M. Carmen, Carballas, M., Carballas, Tarsy and Cabaneiro, Ana. Laboratory study of the availability of nutrients in physical fractions of cattle slurry 353
Kaushik, S. K. and Gautam, R. C. Effect of nitrogen and phosphorus on the production potential of pearl millet–cow pea or green gram intercropping systems under rainfed conditions 361
Shepherd, K. D., Cooper, P. J. M., Allan, A. Y., Drennan, D. S. H. and Keatinge, J. D. H. Growth, water use and yield of barley in Mediterranean-type environments . 365
Ryder, M. L. and Adalsteinsson, S. A note on differences in coat structure between the black and white areas of piebald lambs 379
Edwards, Sandra A., Rogers-Lewis, D. S. and Fairbairn, C. B. The effects of pea variety and inclusion rate in the diet on the performance of finishing pigs 383
Chung, B. The effect of irrigation on the growth and yield components of poppies (*Papaver somniferum* L.) 389
Adjei-Twum, D. C. Effects of plant density and tillage on growth and grain yield of sorghum (*Sorghum bicolor* (L.) Moench.) under dryland conditions in a semi-arid area in Ethiopia 395
Burstall, Lindsay, Thomas, M. N. and Allen, E. J. The relationship between total yield, number of tubers and yield of large tubers in potato crops 403
Robbins, G. B., Bushell, J. J. and Butler, K. L. Decline in plant and animal production from ageing pastures of green panic (*Panicum maximum* var. *trichoglume*) 407
Hughes, G., Keatinge, J. D. H., Cooper, P. J. M. and Dee, N. F. Solar radiation interception and utilization by chickpea (*Cicer arietinum* L.) crops in northern Syria . . 419
Heath, M. C. and Hebblethwaite, P. D. Precision drilling combining peas (*Pisum sativum* L.) of contrasting leaf types at varying densities 425
Thomas, W. T. B. The use of random F_3 families for cross prediction in spring barley . 431
Gillison, T. C., Jenkins, P. D. and Hayes, J. D. Some factors affecting the expression of the physiological age of potato seed tubers. 437
Dahiya, I. S., Grewal, K. S. and Dahiya, D. J. Desodification of a salt-affected soil in plots of various sizes under two modes of water application 453
Nilsson, T. Growth and chemical composition of carrots as influenced by the time of sowing and harvest 459
Waddington, S. R., Osmanzai, M., Yoshida, M. and Ransom, J. K. The yield of durum wheats released in Mexico between 1960 and 1984 469
Aufhammer, W., Götz, Isabella and Peter, Maria. Yield performance of field beans (*Vicia faba* L.) in relation to interactions between inflorescences at different nodes . 479
Kushwaha, B. L. and De, R. Studies of resource use and yield of mustard and chickpea grown in intercropping systems 487

Short Notes

Agrawal, D. K., Garg, A. K. and Nath, K. The use of water-washed neem (*Azadirachta indica*) seed kernel cake in the feeding of buffalo calves 497
Hynd, P. I. and James, R. E. The effect of trenbolone acetate and trenbolone acetate plus oestradiol-17β on wool growth 501
Ravindran, V., Rajaguru, A. S. B. and De Silva, Chitra. Evaluation of rubber (*Hevea brasiliensis* Muell-Arg.) seed meal in White Leghorn cockerel diets 505
Goyal, S. P. and Ghosh, P. K. A note on the measurement of heat exchange by radiotelemetry in black desert goats during winter 509
Hunter, R. A., Davey, Jane B. and Buttery, P. J. Fractional rate of protein synthesis in liver and in individual muscles of lambs: effect of time of sampling following the use of the continuous infusion technique 511

PART 3 (JUNE 1987) PAGE

THORNE, GILLIAN N. and WOOD, D. W. The fate of carbon in dying tillers of winter wheat 515
DAWSON, SIÂN E. The manurial value of sewage sludge applied to fen peat soils . . . 523
CHRISTIE, P. Some long-term effects of slurry on grassland 529
SNAPE, J. W., ANGUS, W. J., PARKER, BERYL and LECKIE, DEBRA. The chromosomal locations in wheat of genes conferring differential response to the wild oat herbicide, difenzoquat 543
CHAIYABUTR, N., BURANAKARL, C., MUANGCHAROEN, V., LOYPETJRA, P. and PICHAICHARNARONG, A. Effects of acute heat stress on changes in the rate of liquid flow from the rumen and turnover of body water of swamp buffalo 549
OGUNKUNLE, A. O. and BECKETT, P. H. T. Comparative influence of soil and management on barley yield in the Vale of Whitehorse, England 555
SARAN, G. and GIRI, G. Influence of dates of sowing on *Brassica* species under semi-arid rainfed conditions of north-west India 561
GUTTERIDGE, R. J., BATEMAN, G. L. and HORNBY, D. Comparison of the effects of spring applications of ammonium chloride and other nitrogen fertilizers on take-all in winter wheat 567
REDDY, M. D. and GHOSH, B. C. Comparative efficiency of different planting methods in intermediate deepwater (15–50 cm) rice 573
WILLIAMS, INGRID H., MARTIN, A. P. and KELM, MARIA. The phenology of the emergence of brassica pod midge (*Dasineura brassicae* Winn.) and its infestation of winter oil-seed rape (*Brassica napus* L.) 579
LEECH, ANNE F. and THORNTON, I. Trace elements in soils and pasture herbage on farms with bovine hypocupraemia 591
HADJICHRISTODOULOU, A. The effects of optimum heading date and its stability on yield and consistency of performance of barley and durum wheat in dry areas 599
PAPASTYLIANOU, I. and SAMIOS, TH. Comparisons of rotations in which barley for grain follows woollypod vetch or forage barley 609
ABOUL-NAGA, A. M., ABOUL-ELA, M. B., EL-NAKHLA, S. M. and MEHREZ, A. Z. Oestrous and ovarian activity of subtropical fat-tailed Rahmani sheep and their response to light treatment 617
PAPASTYLIANOU, I. Effect of preceding legume or cereal on barley grain and nitrogen yield 623
ANWARULLA, M. SYED and SHIVASHANKAR, K. Influence of seed treatment and foliar nutrition of molybdenum on green gram and black gram 627
JENA, P. K. and RAO, V. RAJARAMAMOHAN. Nitrogen fixation as influenced by pesticides and rice straw in paddy soils 635
IKHATUA, U. J., EHOCHE, O. W. and UMOH, J. E. The influence of feeding frequency on feed intake, nutrient utilization and nitrogen metabolism in growing zebu cattle . . 639
KAYODE, G. O. Potassium requirement of groundnut (*Arachis hypogeae*) in the lowland tropics 643
PRASAD, G. S. V., SASTRY, M. V. S., SRINIVASAN, T. E. and KALODE, M. B. Linkage between brown planthopper resistance and morphological characters in rice 649
RUSOKE, D. G. and FATUNLA, T. Inheritance of pod and seed resistance to the cow-pea seed beetle (*Callosobruchus maculatus* Fabr.) 655
OGUNWOLU, E. O., REAGAN, T. E. and DAMANN, K. E. JR. Efficacy of pest control strategies in Louisiana sugar cane: a preliminary survey 661
HAMMOUDA, A. M. Blossom-end rot of watermelon in the southern region of Oman (Dhofar) 667
NORTH, P. F. Effect of contrasting tillage procedures on the emergence of onions in relation to measured physical properties of seed beds 671

SHORT NOTES

PRAVEEN-KUMAR and AGGARWAL, R. K. Substitution of reduced iron by zinc in total soil nitrogen estimation by modified Olsen's method 681

BENNETT, I. L. and HOLMES, C. R. Telemetered body temperatures in a group of cattle during gestation and lactation 683

BHARDWAJ, H. L. and WEAVER, J. B. JR. Effect of cotton genotypes on numbers of adult lady beetles (Coleoptera: Coccinellidae) 687

KOTHARI, S. K., SINGH, VIRENDRA and SINGH, KAMLA. Effect of rates and methods of phosphorus application on herb and oil yields and nutrient concentrations in Japanese mint (*Mentha arvensis* L.) 691